

2014 Ford F150 Ex Cab Pickup Truck (22909 USD)



Location **South Dakota**
<https://www.genclassifieds.com/x-779264-z>

QR Code Link to This Post 2014 Ford F150 Ex Cab

75,460 Miles
 Clean Truck
 No signs of chipped paint or rust
 Detailed
 New Tires

POWERTRAIN
 3.5L EcoBoost®
 Valvetrain
 Ti-VCT DOHC
 Block/head
 Aluminum/aluminum
 Bore x stroke
 3.64 x 3.45 in.
 Displacement
 214 cu. in.
 Compression ratio


10.0:1

Electronic Throttle Control
 Sequential Port Injection
 Variable Valve Timing
 Direct-acting mechanical boost

Horsepower
 365 @ 5000 rpm
 Torque
 420 lb.-ft. @ 2,500 rpm
 Est. fuel economy
 16 city/24 highway
 Oil capacity



<https://www.genclassifieds.com/x-779264-z>
 2014 Ford F150 Ex Cab Truck
 Pickup




<https://www.genclassifieds.com/x-779264-z>
 2014 Ford F150 Ex Cab Truck
 Pickup




<https://www.genclassifieds.com/x-779264-z>
 2014 Ford F150 Ex Cab Truck
 Pickup




<https://www.genclassifieds.com/x-779264-z>
 2014 Ford F150 Ex Cab Truck
 Pickup




<https://www.genclassifieds.com/x-779264-z>
 2014 Ford F150 Ex Cab Truck
 Pickup



<https://www.genclassifieds.com/x-779264-z>
 2014 Ford F150 Ex Cab Truck
 Pickup



<https://www.genclassifieds.com/x-779264-z>
 2014 Ford F150 Ex Cab Truck
 Pickup



<https://www.genclassifieds.com/x-779264-z>
 2014 Ford F150 Ex Cab Truck
 Pickup



<https://www.genclassifieds.com/x-779264-z>
 2014 Ford F150 Ex Cab Truck
 Pickup

Six quarts
Coolant capacity
16 quarts
Recommended fuel
Regular unleaded
Transmission type
Six-speed automatic
Gear ratios

1st
4.17:1
2nd
2.34:1
3rd
1.52:1
4th
1.14:1
5th
0.86:1
6th
0.69:1
Reverse
3.40
Standard final drive
2.17:1
Available axle ratios

3.15, 3.31, 3.55,
3.73, 4.10

STEERING

Type

Rack-and-pinion, electric power-assisted steering (N/A with 6.2L V8 engine); hydraulic power-assisted steering (6.2L V8 engine only)

Overall ratio

20.0:1 (126-, 145- and 157-in. wheelbase with maximum trailer tow), 17.0:1 (157-in. without maximum trailer tow and 163-in. wheelbase)

BRAKES

Type

Four-wheel vented disc, ABS

Front

13.8 x 1.34 in., dual 2.13-in. pistons, non-asbestos organic linings

Rear

13.7 x 0.98 in., single 2.13-in. pistons, non-asbestos organic linings

Assist type

Vacuum, RSC